



# NirCmd

to be used as an internal resource only

## Description

NirCmd is a small command-line utility that allows you to do some useful tasks without displaying any user interface. By running NirCmd with simple command-line option, you can write and delete values and keys in the Registry, write values into INI file, dial to your internet account or connect to a VPN network, restart windows or shut down the computer, create shortcut to a file, change the created/modified date of a file, change your display settings, turn off your monitor, open the door of your CD-ROM drive, and more...

## Examples of what you can do with NirCmd

Open the door of J: CD-ROM drive	<b>nircmd.exe cdrom open j:</b>
Close the door of Y: CD-ROM drive	<b>nircmd.exe cdrom close y:</b>
Speaks the text currently in the clipboard (For Windows XP and Vista).	<b>speak text ~\$clipboard\$</b>
Increase the system volume by 2000 units (out of 65535)	<b>nircmd.exe changesysvolume 2000</b>
Decrease the system volume by 5000 units (out of 65535)	<b>nircmd.exe changesysvolume -5000</b>
Set the volume to the highest value	<b>nircmd.exe setsysvolume 65535</b>
Mute the system volume	<b>nircmd.exe mutesysvolume 1</b>
Unmute the system volume	<b>nircmd.exe mutesysvolume 0</b>



# NirCmd

to be used as an internal resource only

Switch the system volume between the mute and normal state.	<b>nircmd.exe mutesysvolume 2</b>
Create a shortcut on your desktop that switch the system volume between the mute and normal state.	<b>nircmd.exe cmdshortcut "~\$folder.desktop\$" "Switch Volume" mutesysvolume 2</b>
Turn off the monitor	<b>nircmd.exe monitor off</b>
Start the default screen saver	<b>nircmd.exe screensaver</b>
Put your computer in 'standby' mode	<b>nircmd.exe standby</b>
log off the current user	<b>nircmd.exe exitwin logoff</b>
Ask if you want to reboot, and if you answer 'Yes', reboot the computer.	<b>nircmd.exe qboxcom "Do you want to reboot ?" "question" exitwin reboot</b>
Turn off your computer	<b>nircmd.exe exitwin poweroff</b>
Turn off all computers specified in computers.txt !	<b>multiremote copy "c:\temp\computers.txt" exitwin poweroff force</b>
Dial to "My Internet" connection	<b>nircmd.exe rasdial "My Internet"</b>
Disconnect the "My Internet" connection	<b>nircmd.exe rashangup "My Internet"</b>
Make your Internet Explorer	<b>nircmd.exe win trans ititle "internet explorer" 192</b>



# NirCmd

to be used as an internal resource only

windows 75% transparent ! (192 / 256)	
Minimize all your Internet Explorer windows	<b>nircmd.exe win min class "IEFrame"</b>
Close all your Internet Explorer windows	<b>nircmd.exe win close class "IEFrame"</b>
Close all your Explorer windows (My Computer, folders, and so on)	<b>nircmd.exe win close class "CabinetWClass"</b>
Hide all your Internet Explorer windows	<b>nircmd.exe win hide class "IEFrame"</b>
Show all your Internet Explorer windows (after you made them hidden with previous example)	<b>nircmd.exe win show class "IEFrame"</b>
Center all top-level windows	<b>nircmd.exe win center alltop</b>
Remove the title bar of My Computer window.	<b>nircmd.exe win -style title "my computer" 0x00C00000</b>
Return the title bar of My Computer window that we removed in the previous example.	<b>nircmd.exe win +style title "my computer" 0x00C00000</b>
Set the My Computer window to right-to-left order (For hebrew and arabic languages)	<b>nircmd win +exstyle title "my computer" 0x00400000</b>



# NirCmd

to be used as an internal resource only

Set all child windows of My Computer window to right-to-left order (For hebrew and arabic languages)	<b>nircmd win child title "my computer" +exstyle all 0x00400000</b>
Create a shortcut on your desktop that closes all your Internet Explorer windows	<b>nircmd.exe cmdshortcut " ~-\$folder.desktop\$ "Close All IE" win close class "IEFrame"</b>
Create a shortcut on your desktop that hides all your Internet Explorer windows	<b>nircmd.exe cmdshortcut " ~-\$folder.desktop\$ "Hide All IE" win hide class "IEFrame"</b>
Create a shortcut on your desktop that shows back all your Internet Explorer windows	<b>nircmd.exe cmdshortcut " ~-\$folder.desktop\$ "Show All IE" win show class "IEFrame"</b>
Set the Windows Calculator as top-most window (above all other windows)	<b>nircmd.exe win settopmost title "Calculator" 1</b>
Set the Windows Calculator back to regular window (non top-most window)	<b>nircmd.exe win settopmost title "Calculator" 0</b>
Create a shortcut to Windows calculator under Start Menu->Programs->Calculators	<b>nircmd.exe shortcut "f:\winnt\system32\calc.exe" ~-\$folder.programs\$\Calculators" "Windows Calculator"</b>
Hide the desktop window	<b>nircmd.exe win hide class progman</b>
Show the desktop window (After hiding it in previous	<b>nircmd.exe win show class progman</b>



# NirCmd

to be used as an internal resource only

example)	
Hide the start button on the system tray	<b>nircmd.exe win child class "Shell_TrayWnd" hide class "button"</b>
Show the start button on the system tray	<b>nircmd.exe win child class "Shell_TrayWnd" show class "button"</b>
Hide the clock on the system tray	<b>nircmd.exe win child class "Shell_TrayWnd" hide class "TrayClockWClass"</b>
Show the clock on the system tray	<b>nircmd.exe win child class "Shell_TrayWnd" show class "TrayClockWClass"</b>
Kill (terminate) all instance of Internet Explorer processes	<b>nircmd.exe killprocess iexplore.exe</b>
Create a shortcut on your desktop that opens the door of K: CDROM drive when you run it.	<b>nircmd.exe cmdshortcut "~\$folder.desktop\$" "Open CDROM" cdrom open k:</b>
Create a shortcut to NirSoft Web site on your desktop	<b>nircmd.exe urlshortcut "http://www.nirsoft.net" "~\$folder.desktop\$" "NirSoft"</b>
Add NirSoft Web site to your Favorites under Links folder.	<b>nircmd.exe urlshortcut "http://www.nirsoft.net" "~\$folder.favorites\$\Links" "NirSoft"</b>
Create a shortcut to NirSoft Web site on the desktop of all computers listed in computers.txt	<b>nircmd.exe multiremote copy "c:\temp\computers.txt" urlshortcut "http://www.nirsoft.net" "~\$folder.common_desktop\$" "NirSoft"</b>
Set the display mode to	<b>nircmd.exe setdisplay 800 600 24</b>



# NirCmd

to be used as an internal resource only

800x600x24bit colors	
Create a shortcut on the desktop that set the display mode to 800x600x24bit colors	<b>nircmd.exe cmdshortcut "~\$folder.desktop\$" "800x600x24" setdisplay 800 600 24</b>
Copy all shortcuts on your desktop to another folder (f:\temp\desktop).	<b>nircmd.exe execcmd copy "~\$folder.desktop\$\*.lnk" f:\temp\desktop</b>
Restart your Apache server (under Windows NT/2000/XP/2003)	<b>nircmd.exe service restart apache</b>
Create a shortcut on your desktop that restarts the Apache server	<b>nircmd.exe cmdshortcut "~\$folder.desktop\$" "Restart Apache" service restart apache</b>
Restart your IIS	<b>nircmd.exe service restart w3svc</b>
Restart MySql	<b>nircmd.exe service restart MySql</b>
Open the desired Registry key/value in RegEdit	<b>nircmd.exe regedit "HKLM\Software\Microsoft\Windows\CurrentVersion" "CommonFilesDir"</b>
Open the Registry key that you copied to the clipboard in RegEdit.	<b>nircmd regedit "~\$clipboard\$"</b>
Disable the screen saver	<b>nircmd.exe regsetval sz "HKCU\control panel\desktop" "ScreenSaveActive" 0</b>
Enable the screen saver	<b>nircmd.exe regsetval sz "HKCU\control panel\desktop" "ScreenSaveActive" 1</b>



# NirCmd

to be used as an internal resource only

Change the date/time of the specified filename (creation time and modified time)	<b>nircmd.exe setfiletime "c:\temp\myfile.txt" "24-06-2003 17:57:11" "22-11-2005 10:21:56"</b>
Copy your desktop folder path to the clipboard	<b>nircmd.exe clipboard set ~\$folder.desktop\$</b>
Copy your start menu folder path to the clipboard	<b>nircmd.exe clipboard set ~\$folder.start_menu\$</b>
Copy the content of info1.txt (simple text file) to the clipboard	<b>nircmd.exe clipboard readfile "c:\My Files\info1.txt"</b>
Add the text content of clipboard to info1.txt	<b>nircmd.exe clipboard addfile "c:\My Files\info1.txt"</b>
Clear the clipboard	<b>nircmd.exe clipboard clear</b>
Create all folders specified in "c:\temp\folders.txt". The folder path names are separated by CRLF characters.	<b>nircmd.exe paramsfile "c:\temp\folders.txt" "" "" execcmd md ~\$fparam.1\$</b>
Install the specified .NET assembly in the global assembly cache (like gacutil)	<b>nircmd.exe gac install "C:\temp\MyAssembly\bin\MyAssembly.dll"</b>
Empty the recycle bin in all drives.	<b>nircmd.exe emptybin</b>
Answer 'Yes' to a standard Windows message-box.	<b>nircmd.exe dlg "" "" click yes</b>



# NirCmd

to be used as an internal resource only

Wait 2 seconds, and then save the current screen to shot.png	<b>nircmd.exe cmdwait 2000 savescreenshot "f:\temp\shot.png"</b>
Save 10 screenshots in a loop, and wait 60 seconds between the screenshot save calls. The filenames of the screenshot will contain the time and date of the saved screenshot.	<b>nircmd.exe loop 10 60000 savescreenshot c:\temp\scr~\$currdate.MM_dd_yyyy\$~\$curtime.HH_mm_ss\$.png</b>
Wait until Firefox is closed, and then say "Firefox was closed"	<b>waitprocess firefox.exe speak text "Firefox was closed"</b>

## System Requirements

This utility can work in all 32-bit Windows operating systems: Windows 9x/ME, Windows NT, Windows 2000, Windows XP, Windows Server 2003, and Windows Vista. However, some of NirCmd commands works only on Windows NT/2000/XP/2003/Vista.

## Versions History

Date	Version	Description
28/06/2011	2.65	<ul style="list-style-type: none"><li>• Added setdefaultsounddevice command (for Windows 7/Vista/2008 only), which allows you to set the default sound device.</li><li>• Added setsubunitvolumedb command (for Windows 7/Vista/2008 only), which allows you to set the volume of sound device subunits (Line In, Microphone, and so on)</li><li>• Added mutesubunitvolume command (for Windows 7/Vista/2008 only), which allows you to mute/unmute the volume of sound device subunits (Line In, Microphone, and so on)</li></ul>
21/06/2011	2.60	<ul style="list-style-type: none"><li>• Added mediaplay command for playing audio file (.mp3, .wav, and so on) for the specified number of milliseconds.</li></ul>





# NirCmd

to be used as an internal resource only

		<ul style="list-style-type: none"><li>Added changebrightness and setbrightness commands for setting the screen brightness on laptops and netbook computers.</li></ul>
08/06/2011	2.55	<ul style="list-style-type: none"><li>On savescreenshot, savescreenshotfull, and savescreenshotwin commands, you can now specify *clipboard* as a filename, in order to save the screenshot into the clipboard</li><li>On savescreenshot command, you can now specify a rectangle to capture as x, y, width, and height instead of capturing the entire screen.</li><li>Fixed savescreenshotfull command to work properly on multiple screen system with negative coordinates.</li></ul>
27/03/2011	2.52	<ul style="list-style-type: none"><li>Added 'runas' command, which allows you to run a new process with the specified user name/password.</li><li>Added 'Flash' action to the win command, with allows you to flash the specified window.</li></ul>
13/03/2011	2.51	<ul style="list-style-type: none"><li>Added 'focused' option for setappvolume, changeappvolume, and muteappvolume commands, which allow you to easily change the volume of the application that is currently in focus, on Windows 7/Vista/2008.</li><li>Added 'default_record' option for setsysvolume, changesysvolume, setsysvolume2, changesysvolume2, and mutesysvolume commands, which allows you set easily change the volume of default recording device, on Windows 7/Vista/2008.</li></ul>
24/02/2011	2.50	<ul style="list-style-type: none"><li>Added 3 new sound volume commands to change or mute application volume on Windows 7/Vista/2008: setappvolume, changeappvolume, muteappvolume</li><li>Added new information command that shows you a message box with all sound devices on your Windows 7/Vista/2008 system: showsounddevices.</li></ul>
22/02/2011	2.48	<ul style="list-style-type: none"><li>Fixed the problems with the timeout of the tray balloon in trayballoon command.</li></ul>
20/01/2011	2.47	<ul style="list-style-type: none"><li>Fixed bug: The sendkeypress command didn't work properly with Fxx keys (F1, F2, and so on).</li></ul>
28/11/2010	2.46	<ul style="list-style-type: none"><li>Added option to locate window by process in win command.</li><li>Added max and min options (Minimized and maximized windows) into exec and exec2 commands.</li></ul>



# NirCmd

to be used as an internal resource only

		<ul style="list-style-type: none"><li>• Added x64 builds of nircmd.exe and nircmdc.exe</li></ul>
18/10/2010	2.45	<ul style="list-style-type: none"><li>• Added trayballoon command - displays a tray balloon with your desired text and icon.</li><li>• Added sendkeypress command - Alternative to the sendkey command. Allows you to send key press combination in much easier way, for example: sendkeypress ctrl+shift+esc</li><li>• Added clonefiletime command to clone the date/time of existing file into one or more files.</li><li>• Added setconsolemode command to set the console display mode - window or full screen.</li><li>• Added setconsolecolor command to set the foreground and background colors of the console text.</li><li>• Added consolewrite command to write text into the console window.</li><li>• Added debugwrite for writing text into the debug output.</li><li>• Added ~\$folder.mydocuments\$ variable.</li></ul>
21/02/2010	2.41	<ul style="list-style-type: none"><li>• Fixed a bug in elevate command: when running a program without parameters, NirCmd sent the elevate command string as a parameter of the program.</li></ul>
16/02/2010	2.40	<ul style="list-style-type: none"><li>• Added elevate and elevatecmd commands to run and execute commands with administrator rights under Windows 7/Vista/2008.</li><li>• Added monitor parameter to setdisplay command, for using it with multiple monitors.</li><li>• Added setprimarydisplay command.</li><li>• Added folder.programfiles and folder.common_programfiles variables.</li><li>• Added async_off, async_on, async_low for monitor command. You can try them if NirCmd.exe remains in memory when you use monitor on/off command.</li></ul>
26/05/2009	2.37	<ul style="list-style-type: none"><li>• Improved the help .chm file - Now it contains a link to every command.</li><li>• Added help command - Automatically opens the reference of the desired command in <a href="http://nircmd.nirsoft.net">http://nircmd.nirsoft.net</a>. For example, if you type 'nircmd.exe help speak', the reference page of speak command - <a href="http://nircmd.nirsoft.net/speak.html">http://nircmd.nirsoft.net/speak.html</a> will be opened in your default browser.</li></ul>
19/05/2009	2.36	<ul style="list-style-type: none"><li>• Fixed bug in script: Sometimes the last line in the script was not executed properly.</li></ul>



# NirCmd

to be used as an internal resource only

20/04/2009	2.35	<ul style="list-style-type: none"><li>• Added loop command - execute a command multiple times.</li><li>• Added currtime and currdate variables.</li><li>• waitprocess - Added option to execute a NirCmd command after the process was closed.</li><li>• Added rem (or ;) command, just for adding remarks in a script.</li></ul>
01/04/2009	2.30	<ul style="list-style-type: none"><li>• Added speak command - Speaks the contents of the text or file that you specify, by using the Speech library (SAPI) that comes with Windows XP and Windows Vista.</li><li>• Added savescreenshotfull command.</li></ul>
02/02/2009	2.25	<ul style="list-style-type: none"><li>• New actions for clipboard command - loadclp and saveclp (load/save in Windows .clp format)</li><li>• New command: setprocessaffinity</li></ul>
01/01/2009	2.20	<ul style="list-style-type: none"><li>• New commands: waitprocess, setprocesspriority, qboxtop, qboxcomtop.</li><li>• New action in clipboard command: copyimage (Copy image file to the clipboard)</li></ul>
25/06/2008	2.15	<ul style="list-style-type: none"><li>• New commands: setcursorwin, savescreenshotwin, filldelete</li></ul>
12/04/2008	2.10	<ul style="list-style-type: none"><li>• New commands: shellcopy, savescreenshot</li></ul>
09/02/2008	2.05	<ul style="list-style-type: none"><li>• New commands: shellrefresh, convertimage, convertimages</li><li>• New option in clipboard command - saveimage</li></ul>
16/06/2007	2.00	<ul style="list-style-type: none"><li>• All sound volume commands and monitor command now works under Vista.</li><li>• New commands: dlg, dlgany, sendkey, sendmouse, returnval</li><li>• New actions in win command - dlclick, dlgsettext, dlgsetfocus</li></ul>
24/07/2006	1.85	<ul style="list-style-type: none"><li>• New command: cmdshortcutkey</li></ul>
15/07/2006	1.84	<ul style="list-style-type: none"><li>• Starting from this version, if you don't specify a sound device index in setsysvolume, changesysvolume, setsysvolume2, changesysvolume2 and mutesysvolume commands, the default sound device in control panel ("preferred device") is used.</li></ul>



# NirCmd

to be used as an internal resource only

		<ul style="list-style-type: none"> <li>• New find options in win command: active, foreground, desktop</li> </ul>
20/05/2006	1.83	<ul style="list-style-type: none"> <li>• Fixed bug with parameter variables: parameter dialog-box appear more than once.</li> <li>• New find option in Win command: alltopnodesktop</li> </ul>
18/02/2006	1.82	<ul style="list-style-type: none"> <li>• New win actions: postmsg and sendmsg.</li> <li>• New command: closeprocess</li> <li>• NirCmd now returns a non-zero value on error.</li> </ul>
19/11/2005	1.81	<ul style="list-style-type: none"> <li>• New command: emptybin - Empty the Recycle Bin.</li> <li>• New optional parameter in setdisplay command: refresh rate.</li> <li>• rashangup command without parameter - disconnect all active connections.</li> </ul>
24/09/2005	1.80	<ul style="list-style-type: none"> <li>• New commands: exec2, cmdwait.</li> <li>• New options in clipboard command.</li> <li>• Volume commands (setsysvolume, changesysvolume, setsysvolume2, changesysvolume2, mutesysvolume) now allows you to change the volume of non-default sound card.</li> </ul>
07/07/2005	1.70	<ul style="list-style-type: none"> <li>• New win actions: activate, hideshow, +style, -style, +exstyle, -exstyle</li> <li>• New commands: movecursor, setcursor.</li> <li>• New command: setfilefoldertime - allows you to change the date/time of folders, under Windows 2000/XP only.</li> </ul>
10/06/2005	1.62	<ul style="list-style-type: none"> <li>• New actions in win command: focus, enable, disable</li> </ul>
26/05/2005	1.61	<ul style="list-style-type: none"> <li>• new command: sysrefresh - make a general system refresh after modifying your system settings in the Registry.</li> </ul>
07/05/2005	1.60	<ul style="list-style-type: none"> <li>• New paramsfile command: Allows you to execute a command multiple times by loading the parameters from a text file.</li> <li>• New actions in win command: move, center, settext.</li> <li>• New 'child' action in win command: Allows you to move/hide child windows (For example: the start button in the system tray)</li> <li>• New clipboard command: Allows you to put a string in the clipboard, and clear the clipboard.</li> </ul>



# NirCmd

to be used as an internal resource only

		<ul style="list-style-type: none"><li>• New gac command: Allows you to install assemblies in Global Assembly Cache.</li></ul>
28/12/2004	1.56	<ul style="list-style-type: none"><li>• New variable: ~\$clipboard\$ - paste the text that you copied to the clipboard into the command-line.</li><li>• Parameter variables: ~\$param.ParamName\$ - Display an input window for typing the text that you want insert into the command-line.</li></ul>
07/12/2004	1.55	Added RegEdit command.
18/11/2004	1.54	<ul style="list-style-type: none"><li>• On reg commands (regsetval, regdelval, regdelkey), you can now also use the following abbreviated key name: HKCU for HKEY_CURRENT_USER, HKLM for HKEY_LOCAL_MACHINE, HKCR for HKEY_CLASSES_ROOT, HKU for HKEY_USERS, HKCC for HKEY_CURRENT_CONFIG.</li><li>• redraw action for win command.</li></ul>
03/11/2004	1.53	Fixed 'monitor off' problem in XP SP2.
09/10/2004	1.52	rasapi32.dll is now loaded only when using the dial commands (rasdial, rasdialdlg, rashangup). In previous versions, NirCmd was statically linked to rasapi32.dll, and that caused problems in old NT systems.
29/09/2004	1.51	Variable names are now enclosed with '\$' char instead of '%' char. I made this change because the '%' char causes problems when running NirCmd from cmd/bat file. using the '%' char for variable names is still supported for backward compatibility.
22/09/2004	1.50	<ul style="list-style-type: none"><li>• New commands: cmdshortcut, regsvr, mutesysvolume, changesysvolume, changesysvolume2, setsysvolume2.</li><li>• New actions in win command: trans, setsize, settopmost, ititle.</li><li>• New variables: folder.nircmd, nir.exefile</li><li>• nircmdc.exe - console version of NirCmd.</li><li>• Changed name - from NirComLime to NirCmd.</li></ul>
05/05/2004	1.40	<ul style="list-style-type: none"><li>• New commands: wait, setvolume, setsysvolume, execcmd, exec.</li><li>• New commands for executing NirCmd on remote machines: remote and multiremote.</li><li>• Folder and system variables.</li></ul>



# NirCmd

to be used as an internal resource only

		<ul style="list-style-type: none"><li>• New option in setfiletime command - set the file time to the current time (now parameter)</li><li>• New parameter in shortcut command - hot key.</li></ul>
01/03/2004	1.30	<ul style="list-style-type: none"><li>• New commands: qboxcom, beep, stdbeep, cdrom, urlshortcut, monitor, screensaver, standby, and hibernate.</li><li>• Fixed the bug with ~x string sequences.</li></ul>
08/01/2004	1.20	<ul style="list-style-type: none"><li>• New commands: setdialuplogon, script</li><li>• Special string sequences (~q, ~t, ~n and so on) to allow you to embed quotes and new line characters into the parameters of any command.</li></ul>
19/11/2003	1.11	New options in shortcut command
10/10/2003	1.10	New commands: killprocess, service, memdump, win, lockws.
09/09/2003	1.00	First release.